


## Product technical sheet

# WOODEN WD1401







#### **Material specification**

- Construction made of the highest quality laminated, impregnated and double coated pine wood 90 x 90 mm without knots, secured from the top with polypropylene plugs,
- Metal anchors made of hot dip galvanized steel, protecting the wood from direct contact with the ground to prevent rot and to extend the product's life,
- Roofs, side panels made of durable HDPE or HPL plate, resistant to weather conditions,
- Moving elements made of durable HDPE or HPL plate, resistant to weather conditions,
- Stainless steel bars,
- Screws covered with plastic caps and/or stainless steel screws,




06/12/2024


VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991




biuro@vinci-play.com info@vinci-play.com www.vinci-play.com










#### Guarantee



Detailed information in the guarantee card

15 year guarantee - Durability of steel and stainless steel structures of mobile devices; durability of Robinia wood structural elements

0

10 year guarantee - Structural strength of HDPE, 100% recycled HDPE and HPL elements; structural elements made of 100% recycled material (composite)



5 year guarantee - Corrosion resistance of stainless steel and hot-dip galvanized and powder-coated steel elements, resistance to bark beetles and rotting of wooden structural elements

# Product technical sheet WOODEN WD1401

### **Product data**

Length	97 cm
Width	96 cm
Total height	139 cm
Age group	1 - 8 years
Number of users	4 kids
Safety zone	13,8 m2
Free fall height	<60 cm
In accordance with norm EN	1176-1:2017
Weight of the heaviest part	10 kg
Dimensions of the largest part	180x9x9 cm
Availability of spare parts	YES
Installation time	2 h
Color options	

Data is subject to change without prior notice.

#### Additional information

- equipment adapted for the disabled; intended for public playgrounds;
- equipment has a certificate issued by an accredited entity or a declaration of conformity;
- no sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- anchoring on flat surface, 80/70/60 cm deep;
- render is for reference only, the actual appearance of the equipment and its color may vary;

Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz

06/12/2024

VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com



#### Surfaces according to EN 1176-1:2017


	Description (mm)	Layer thickness (cm)	Maximum fall heights (cm)	
Turf/ top layer of soil (A,B,C)	-	-	≤100	
bark (A,C)	Particle size from 20	30		≤200
	rk (A,C) to 80	40	≤300	
woodching (A.C)	woodchips (A,C) Particle size from 5 to 30	30	≤200	
woodchips (A,C)		40	≤300	
cond or group (A.C.)	Particle size from	30	≤200	
sand or gravel (A,C) 0,25	0,25 to 8	40	≤300	
synthetic attested (A,B,C)	Tested according to EN 1177		<60	


# Product technical sheet WOODEN WD1401

#### Amount of safe surface corresponding with free fall height:

HIC <60	13,8 m <sup>2</sup>	

Data is subject to change without prior notice.





Vinci Group Sp. z o.o. Seminaryjna 9 Street 99-400 Łowicz VAT: 534-250-14-46 PHONE: +48 42 203 24 99 ext. 26 M: +48 793 404 991



biuro@vinci-play.com info@vinci-play.com www.vinci-play.com