


Junior Spica

ELE400158



Item no. ELE400158-3517E	
General Product Information	
Dimensions LxWxH	40x40x103 cm
Age group	2+
Play capacity (users)	1
Colour options	



The large rotating movement of the Junior Spica attracts toddlers. The low seat invites both seated and standing use of the Junior Spica, thus supporting different body positions through its use. This makes it a versatile piece, which can be used alone or with a friend, seated or standing, pushing or pulling. The Junior Spica is a playground favourite again

and again. Placed two or three together, the Junior Spicas motivate social play, also between children who want to avoid too much physical contact. The toddler age is when children gain the ability to form friendships, and the Junior Spica supports shared experiences within play. The rotation trains the child's sense of balance and space, which is crucial for body

awareness and the control of body movements. This is fundamental to navigating the world confidently.



Junior Spica

ELE400158



The Spica bearings are installed in a one-piece design bearing house with integrated drain holes for water passage. The two large steel bearings are fully closed and lifetime lubricated.



Discs are made of highly durable, eco-friendly HDPE, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The top handle has been designed in shape and diameter so as to fit optimally for kids, and the special thermoplastic rubber (TPV) rubber surface makes it nice to touch.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ panels of 100% post consumer recycled ocean waste.

Item no. ELE400158-3517E

Installation Information

Max. fall height	100 cm
Safety surfacing area	9.1 m ²
Number of installers	2
Total installation time	1.6
Excavation volume	0.30 m ³
Concrete volume	0.21 m ³
Footing depth (standard)	70 cm
Shipment weight	33 kg
Anchoring options	In-ground ✓ Surface ✓

Warranty Information

Hot dip galvanised steel	Lifetime
Handle	10 years
EcoCore HDPE	Lifetime
Bearing construction	5 years
Spare parts guaranteed	10 years





Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
ELE400158-3517E	67.00	2.28	43.90
ELE400158-3017DT	81.50	2.54	52.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Validation of CO₂ calculation of: Freestanding play equipment



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000




Junior Spica


ELE400158

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



ELE400158E
*100cm
**103cm
***9.1m²



ELE400158E

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)