Play Tower with Bars

PCM112121





Item no. PCM112121-0905		
General Product Information		
Dimensions LxWxH	316x360x230 cm	
Age group	4+	
Play capacity (users)	11	
Colour options		



This play tower with bannister bars and climbing wall attracts children with its varied play offering. Varied climbing, crawling, gliding and balancing make children want to come back again and again. The graduated challenges allows for varied abilities and a wide age span in users. Under the deck there is a nice point for taking a rest and socialising with

tic-tac-toe. Climbing helps to develop crosscoordination skills. This enhances a child's ability to use both sides of their brain, and supports the ability of reading. The Fireman's Pole and Banister bars allow for bravehearts to glide down, training their sense of balance and space while having fun. These skills are fundamental in navigating the body through life confidently and safely.

Play Tower with Bars



PCM112121



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled post consumer material from food packing waste.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



All decks are supported by unique designed low-carbon aluminum profiles with multiple attachment options. The grey colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.

Item no. PCM112121-0905			
Installation Information			
Max. fall height	209 c	m	
Safety surfacing area	26.6 n	n²	
Total installation time	11.	.3	
Excavation volume	0.73 n	n³	
Concrete volume	0.05 n	n³	
Footing depth (standa	urd) 90 c	m	
Shipment weight	359 k	٢g	
Anchoring options	In-ground	~	
	Surface	•	
Warranty Information			
EcoCore HDPE	Lifetim	ıe	
Post	10 year	rs	
PP Decks	10 year	rs	
Movable parts	2 year	rs	
Spare parts guarantee	ed 10 year	rs	



The slides can be chosen in different materials and colors: Straight or curved one-piece molded PE slides in yellow or grey color. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one-piece design for more vandalism proof solutions.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor. TexMade post, EcoCoreTM panels of 100% post consumer recycled ocean waste and molded PP decks.



Sustainability

Cradle to Gate A1-A3

PCM112121-0905

PCM112121-0951

CO₂e/kg

kg CO₂e/kg

2.71

1.73

Recycled

materials

%

56.80

76.80

Total CO2

emission

kg CO₂e

695.90

506.10


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle

Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2021-01-11

The CO² calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200309-0010. (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023 Validated by:

Jest Ara

Bente Hviid, Senior Consultant

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO² calculation of play systems – Kompan, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021



www.bureauveritas.dk +45 7731 1000





3 / 08/04/2023





PCM112121





* Max fall height | ** Total height





PCM112121

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 08/04/2023

Data is subject to change without prior notice.